

# Series 2000 Garage Doors

Superior design, engineering excellence

# Door Style Selector









- 4 Hörmann automatic sectional door
- Hörmann Series 2000 up-and-over garage doors
- 24 The innovative Hörmann operators
- 28 Hörmann roller garage door RollMatic
- 32 Hörmann accessories

#### Please note:

Some of the doors shown in this brochure have special features and therefore do not always represent the standard version.

The colours shown are subject to the limitations of the printing process and cannot be regarded as binding.

All rights reserved. No part may be reproduced without our prior permission. Subject to changes.

The complete warranty conditions can be found at www.hormann.co.uk

# Hörmann automatic sectional doors offering greater convenience and security

You can operate a Hörmann automatic door as conveniently as your TV.

On the press of a button, you drive into your garage, protected from all weathers. When it's dark, the direct route affords you greater safety and security.

It goes without saying that Hörmann doors and operators are tested by the TÜV (German Technical Inspectorate) as a single safety unit.









- ▲ Panelled, Woodgrain Traffic white, RAL 9016
- S-ribbed, Woodgrain Fir green, RAL 6009

# LPU

Double-skinned LPU doors offer the best-possible insulation. Moreover, the 42-mm-thick sections give the door the greatest stability and make for quiet operation.

## LTE

Single-skinned LTE doors are the inexpensive solution for detached garages that do not require additional thermal insulation.



	S-ribbed	M-ribbed	L-ribbed	Panelled
LPU double-skinned steel sectional doors				
Woodgrain	Traffic white RAL 9016 16 preferred colours RAL to choose	Traffic white RAL 9016 16 preferred colours RAL to choose		Traffic white RAL 9016 16 preferred colours RAL to choose
Sandgrain		Traffic white RAL 9016 3 preferred colours	Traffic white RAL 9016 3 preferred colours	
Micrograin			Traffic white RAL 9016 16 preferred colours RAL to choose	
Silkgrain*		Traffic white RAL 9016 16 preferred colours RAL to choose	Traffic white RAL 9016 16 preferred colours RAL to choose	
Decograin		6 decors	6 decors	5 decors**
Max. width Max. height	4877 mm *** 2500 mm ***	4877 mm *** 2500 mm ***	4877 mm *** 2500 mm ***	4877 mm *** 2500 mm ***
LTE single-skinned steel sectional doors				
Woodgrain	Traffic white, RAL 9016 16 preferred colours RAL to choose	Traffic white, RAL 9016 16 preferred colours RAL to choose		Traffic white, RAL 9016 16 preferred colours RAL to choose
Max. width Max. height	4877 mm *** 2500 mm ***	3048 mm 2500 mm ***		3048 mm 2500 mm ***

- \* L-ribbed with design elements only in Silkgrain surface finish
- \*\* Not available in Titan Metallic CH 703
- \*\*\* All of the sizes quoted are for the Series 2000 sectional garage doors only, other sizes and styles can be found in our metric range via your specialist Hörmann dealer.



# It's your choice

Design your garage door to exactly fit your needs. For steel sectional doors you can choose from up to 4 surface finishes that you can adapt to match the colour of your home.

Or choose one of 6 Decograin decors with a natural timber look or a decor with an elegant metallic effect.

- 1 Woodgrain
- 2 Sandgrain
- 3 Silkgrain
- 4 Micrograin
- 5 Decograin Golden Oak
- 6 Decograin Dark Oak
- 7 Decograin Night Oak
- 8 Decograin Rosewood
- 9 Decograin Winchester Oak
- 10 Titan Metallic CH 703

#### 4 surface finishes



## 6 Decograin surface finishes



# Beautiful and protective colour

Steel sectional doors are available as standard in Traffic white, RAL 9016, as well as in 15 inexpensive preferred colours and in around 200 colours from the RAL colour chart\*. You can choose from 3 preferred colours \*\* for the surface finish Sandgrain.

#### Standard colour and 15 preferred colours



#### Please note:

Sectional garage doors are generally supplied in Grey white, RAL 9002 on the inside of the door.

Dark colours should not be used for double-skinned steel doors that are exposed to the sun, as possible section deflection may damage the door.

All colours based on RAL.

The colours and surfaces shown are subject to the limitations of the printing process and cannot be regarded as binding. Please seek the expert advice of your Hörmann specialist dealer.

- \* With the exception of pearl-effect, fluorescent and metallic colours.
- \*\* Preferred colours for Sandgrain surface finish


1	RAL 9016	Traffic white
2	RAL 9007	Grey aluminium
3	RAL 9006	White aluminium **
4	RAL 8028	Terra brown **
5	RAL 8003	Clay brown
6	RAL 8001	Ochre brown
7	RAL 7040	Window grey
8	RAL 7035	Light grey
9	RAL 7030	Stone grey
10	RAL 7016	Anthracite grey **
11	RAL 6009	Fir green
12	RAL 6005	Moss green
13	RAL 5014	Pigeon blue
14	RAL 5011	Steel blue
15	RAL 3003	Ruby red
16	RAL 1015	Light ivory





# More light, less energy consumption

Depending on the door type, you can select from various types of glazings with clear or textured single or double-panes. Clear synthetic glazing from Hörmann comes as standard with DURATEC glazing.



#### It offers:

- Maximum scratch resistance
- A permanently clear view
- Improved thermal insulation

#### Please note:

Classic and Sunrise glazing are available for all door types with M and L ribbing and panelling.

The glazing frame and the decorative rails are available in white plastic as standard or in the colour of the door on request. For Decograin doors the glazing frame and decorative rails are painted in a colour matching the door.

- 1 Classic glazing S0
- 2 Classic glazing S1
- 3 Classic glazing S2
- 4 Classic glazing S10

The glazings shown correspond to a door width of 2500 mm.

# Aesthetic, understated, secure

If your garage does not have a second entrance, you can optionally open your automatic garage door from the outside with a beautifully designed handle or an understated emergency release lock.



- 1 Black plastic
- 2 White cast aluminium, RAL 9016
- 3 Silver cast aluminium
- 4 Brushed stainless steel
- 5 Polished stainless steel

Hörmann Series 2000 Up-and-Over Garage Doors, combining quality with an attractive look


The Hörmann Series 2000 up-and-over garage doors are undeniably attractive in appearance, with a variety of designs that are comprised of single and double up-and-over doors in steel, timber and GRP.

Hörmann offer a wide range of standard garage door sizes in either canopy or retractable gear to fit to a timber frame. We recommend, however, that the Hörmann powder coated steel frame is used, as it makes a complete door set.



For further information ask your specialist dealer for this brochure or visit www.hormann.co.uk







- ▲ Style 2041 Coniston, White supersmooth
- ▼ Style 2009 Vertical, Light Oak





- ▲ Style 2034 Penshurst, Cherry Oak Woodgrain
- ◀ Style 2101 llkley, Traffic white, RAL 9016



Style 2001 Vertical Traffic white, RAL 9016



Style 2002 Horizontal Traffic white, RAL 9016



Style 2601 Elegance only available in Traffic white, RAL 9016



Style 2602 Finesse only available in Traffic white, RAL 9016



Style 2003 Chevron only available in Traffic white, RAL 9016



Style 2103 Caxton only available in Traffic white, RAL 9016



Style 2101 llkley Traffic white, RAL 9016



Style 2004 Georgian Traffic white, RAL 9016 also available in Decograin



Style 2304 Georgian with window Traffic white, RAL 9016



Countess only available Traffic white, RAL 9016




Marquess Traffic white, RAL 9016 also available in Decograin



Vertical Decograin Golden Oak also available in Rosewood



Horizontal Decograin Rosewood also available in Golden Oak



Style 2011 Open-for-infill frame Terra brown, RAL 8028 also available in Traffic white, RAL 9016



Side door styles

Side doors come with a profile cylinder lock and a black, synthetic lever/lever handle set as standard. They are optionally available in the same material choices as the garage door handles, please see page 21.

Matching side doors are available for all steel designs except 2101, 2103, 2504.



Style 2005 Measham



Style 2007 Jacobean



Style 2008 Tudor



Style 2014 Rutland



Style 2009 Vertical also available in Horizontal



Style 2010 Chevron



Style 2013 Caxton



Style 2019 Garage Light



Style 2020 Gatcombe



Style 2109 Mallory available in Horizontal or Vertical



Style 2114 Shepshed




Style 2119 Leicester



Style 2121 Chesterfield



Style 2122 Middleton



Style 2011 Open-for-infill frame Terra brown, RAL 8028 also available in Traffic white, RAL 9016







2008 Tudor



2020 Gatcombe

## Side door styles

Side doors come with a profile cylinder lock and a black, synthetic lever/lever handle set as standard. Optional available in the same material choices as the garage door handles, please see page 11.

Matching side doors are available for all timber designs.



Style 2034 Penshurst available in White woodgrain, Mahagony woodgrain, Dark Oak and Cherry Oak woodgrain



Style 2035 Hartfield available in White woodgrain, Mahagony woodgrain, Dark Oak and Cherry Oak woodgrain



Style 2040 Livingston available in White woodgrain, Mahagony woodgrain, Dark Oak and Cherry Oak woodgrain



Style 2041 Coniston available in White supersmooth



Style 2042 Windermere available in White woodgrain, Mahagony woodgrain, Dark Oak and Cherry Oak woodgrain



Style 2044 Stamford available in White supersmooth



Style 2047 Bourton available in White woodgrain, Mahagony woodgrain, Dark Oak and Countryside Oak woodgrain



Style 2048 Burford available in White woodgrain, Mahagony woodgrain, Dark Oak and Countryside Oak woodgrain



Style 2049 Moreton available in White woodgrain, Mahagony woodgrain, Dark Oak and Countryside Oak woodgrain



Style 2041 Coniston with windows available in White supersmooth




Style 2042 Windermere with windows available in White woodgrain, Mahagony woodgrain, Dark Oak and Cherry Oak woodgrain

# Clear views with glazing

An additional glazing is not just a design element. Daylight ensures a bright, friendly atmosphere. Ideal, if the garage is also used as a workshop.

Select depending on the door style different types of glazing.

# Series 2000 Steel up-and-over Georgian and Ilkley designs \*




Series 2000 Timber up-and-over Garage light design \*\*



- 1 Georgian, plain
- 2 Georgian, diamond
- 3 Georgian, crossed
- 4 Ilkley, crystal
- 5 likley, black
- 6 Plain
- 7 Diamond
- 8 Crossed
- 9 Plain, clear
- 10 Crossed, clear
- Diamond, translucentStamford, translucent
- 13 Stamford, black
- All windows come with crystal panes.
   Frames come white as standard with colour options available.
- \*\* The simulated 'leaded light' designs can be combined with a clear or stippled opaque pane. Panes are made of tough, durable perspex.
- \*\*\* The simulated 'leaded light' designs can be combined either with a clear or translucent pane. Stamford design is supplied with black glazing as standard and translucent as an option. All panes are made of tough, durable, perspex.

Glazing options for Series 2000 GRP up-and-over Coniston, Windermere and Stamford designs \*\*\*



# A beautiful handle adds value

Its ergonomic design gives you a safe and firm grip. Side doors come with a profile cylinder lock and a black, synthetic lever/lever handle set as standard. They are available in the same material choices as the garage door handles. Optional lever/knob handle set available.

- 1 Synthetic black, standard
- 2 Side door handle black, standard
- 3 Cast aluminium, white
- 4 Cast aluminium, brown
- 5 Cast aluminium, silver finish
- Brushed, stainless steel
- 7 Cast aluminium, brass finish
- 8 Polished, stainless steel



# Choose between Steel, Timber and GRP design

All our steel door designs come in Traffic white (RAL 9016) as standard, except for the open-for-infill frame which comes in Terra brown (RAL 8028).

Contact your Hörmann specialist dealer for advice regarding coloured doors.

# Colour options for Steel design



Surface options for Steel design



1	RAL 6005	Moss green
2	RAL 8028	Terra brown
3	RAL 5005	Signal blue
4	RAL 5011	Steel blue
5	RAL 3003	Ruby red
6	RAL 9005	Jet black
7	RAL 9016	Traffic white
8	Decograin C	Golden Oak
9	Decograin F	Rosewood

## Wood stain for Timber design\*




- 1 Walnut
- 2 Ebony
- 3 Rosewood
- 4 Medium Oak
- 5 Light Oak
- 6 Dark Oak
- 7 Golden Oak
- 8 Mahogony
- 9 Teak

## Colour options for all Timber design \*\*



#### Colour finishes for GRP design



- 10 White
- 11 RAL to choose
- 12 White supersmooth
- 13 White woodgrain
- 14 Mahogany woodgrain
- 15 Dark Oak woodgrain
- 16 Countryside Oak woodgrain
- 17 Cherry Oak woodgrain
- \* With wood being a natural product the finish of the doors supplied may vary from those shown.
- \*\* Our timber doors are now available in a white and RAL to choose colour options.

# The innovative Hörmann operators for automatic sectional and up-and-over garage doors

Hörmann garage door operators are perfectly matched to your Hörmann garage door. The result: simple operation, maximum convenience and the greatest operational safety. Our elegant hand transmitters allow you to open your gate from your car as easily as you would operate a TV. You can also operate your door using stationary control elements, such as a radio code switch or radio finger-scan.



For further information ask your specialist dealer for this brochure or visit www.hormann.co.uk





SupraMatic 4
Supra-fast door opening and smart additional functions

- 75 % faster opening speed\* up to 25 cm/s\*\*
- Smart operation with the BlueSecur app

## ■ NEW

- Convenient garage ventilation
- Up to 3 to 5 times\*\*\* brighter LED lighting
- Extremely easy programming thanks to 2 × 7-segment display
- High-quality stainless steel operator cover
- Networked with Smart Home systems via the standard HCP interface
- Low power consumption in standby below 1 watt





As standard with two 4-button hand transmitters HSE 4 BS, textured surface black with chrome caps

Garage door operators	SupraMatic E ■ NEW	SupraMatic P ■ NEW
Bluetooth receiver	Integrated, can be switched on and off	Integrated, can be switched on and off
HCP bus connection	Integrated	Integrated
Cycles per day / hour	25/10	50/10
Pull and push force	650 N	750 N
Peak force	800 N	1000 N
Max. opening speed	25 cm/s**	25 cm/s**
Lighting	20 LEDs	30 LED chase light
Max. door width	5500 mm	6000 mm
Max. door surface	13.75 m <sup>2</sup>	15 m <sup>2</sup>





Standard bluetooth receiver for smartphone operation using the Hörmann BlueSecur app

<sup>\*</sup> in comparison with ProMatic series 3

<sup>\*\*</sup> Up to 7.5 m² door leaf surface for the sectional garage door with SupraMatic E, up to 9 m² door leaf surface with SupraMatic P, up to max. 22 cm/s for larger door surfaces

<sup>\*\*\* 3</sup> times brighter with the SupraMatic E or 5 times brighter with the SupraMatic P in comparison to the ProMatic series 3

# ProMatic 4 Premium quality at an attractive price

- 40 % faster opening speed\* up to 20 cm/s
- Convenient garage ventilation
- Up to 2 times\* brighter LED lighting
- Networked with Smart Home systems via the standard HCP interface
- Low power consumption in standby below 1 watt








# ⇔ BiSecur

As standard with two 4-button hand transmitters HSE 4 BS, textured surface black with plastic caps

Garage door operators	ProMatic 4 ■ NEW	ProMatic 2 Akku
Bluetooth receiver	Optional (HET-BLE)	
HCP bus connection	Integrated	
Cycles per day / hour	25 / 10	5/2
Pull and push force	600 N	350 N
Peak force	750 N	400 N
Max. opening speed	20 cm/s	13 cm/s
Lighting	10 LEDs	1 LED light
Max. door width	5000 mm	3000 mm
Max. door surface	11.25 m <sup>2</sup>	8 m <sup>2</sup>

ProMatic 2 Akku for garages without a power connection



ProMatic 2 Akku with solar module

Roller garage door RollMatic: More free space in the garage with innovative Hörmann technology

RollMatic roller garage doors can be individually adapted to the architecture of your home or the fitting situation in the garage. Select from one of 11 equally-priced colours for an individual door. Matching side doors are also available. An external rolling shutter is recommended for fitting situations with limited lintel space. You can always find a perfect solution with a RollMatic roller garage door.









▲ Roller garage door in Decograin Golden Oak

◀ External rolling shutter in Traffic white, RAL 9016

# Surface and decor surface finishes

The smooth surface of the aluminium profiles looks modern and elegant, unlike ribbed profiles from other suppliers. Furthermore, a high-quality coating on the inside and outside of the door's surface makes it easy to clean.

The two Decograin surfaces have a convincing real timber look.

To create a uniform appearance, the exterior door curtain, fascia and frame are supplied with a Decograin surface finish. The interior fascia, side guides, barrel casing and door curtain are painted in brown.

The Decopaint surface finishes are an affordable alternative to Decograin decors. The interior and exterior of the profiles are painted. Frames, side guides, fascia panels and shaft covers are powder-coated in a base colour to create a harmonious appearance.

#### Smooth surface



## 2 Decograin surface finishes





#### 2 Decopaint surface finishes








- RAL 9016 Traffic white
- 2 Decograin Golden Oak
- 3 Decograin Rosewood
- 4 Decopaint Golden Oak
- 5 Decopaint Rosewood
- 6 Noir 2100 Sablé Anthracite Metallic

#### 11 equally-priced colours





#### Glazing elements

Get more daylight in your garage!
The glazing elements with synthetic panes are arranged across the entire profile width. The number of elements depends on the respective door width. A maximum of ten profiles can be fitted with glazings in each door.



#### Ventilation grilles

Ventilation of your garage improves the room climate and prevents mould. Ventilation grilles made of longlasting plastic are arranged across the entire profile width. A maximum of ten profiles can be used for each door.





For further information ask your specialist dealer for this brochure or visit www.hormann.co.uk

# Mobile and stationary

With Hörmann, everything fits together.

Using the same hand transmitter, you can operate your garage door as well as an entrance gate equipped with a fully compatible Hörmann operator or other devices with Hörmann receivers. With the BiSecur app, you can conveniently control your Hörmann garage door or entrance gate operators, Hörmann entrance door\* and other devices using your smartphone or tablet. You can also display the door position for your garage door or entrance gate, as well as the locking state of your entrance door\* while on the go.

\* With special equipment



For further information, see the BiSecur Gateway brochure.







#### Hand transmitter HS 5 BS

4 button functions plus query button,

1 High-gloss black or white

2 Black texture



#### Hand transmitter 4 BS

4 button functions

3 Black texture

#### Hand transmitter 1 BS

1 button functions

4 Black texture

#### Hand transmitter HSE 1 BS

1 button function, incl. eyelet for key ring

5 Black texture



## Hand transmitter HSE 4 BS

4 button functions incl. eyelet for key ring

6 Black texture with chrome or black plastic end caps

(Shown from left to right)

#### Hand transmitter HSE 2 BS

2 button functions incl. eyelet for key ring

High-gloss black or white

(Shown from left to right)

High-gloss green, purple, yellow, red, orange

Decors in silver, carbon, dark rootwood


(Shown from left to right)





# Hand transmitter HSD 2-A BSA

Aluminium look, 2 button functions, can also be used as a key ring



High-gloss chrome, 2 button functions, can also be used as a key ring



# 16 Radio code switch FCT 3 BS

For 3 functions, with illuminated buttons



# Hand transmitter

4 button functions, with button lock-out, incl. key ring




# Radio code switch FCT 10 BS

For 10 functions, with illuminated buttons and protective cover



# Hand transmitter

1 button function, for insertion in vehicle cigarette lighter



2 button functions, for insertion in vehicle cigarette lighter



# 18 Radio finger-scan FFL 12 BSS

For 2 functions and up to 12 fingerprints



# 15 Radio internal push button FIT 2-1 BS ■ NEW from autumn 2017

For 2 functions, connection option for maximum 2 control elements via cable e.g. key switches



# Key switch ■ NEW 19 STUP 50

20 STAP 50

In a recessed version and surface-mounted version, including 3 keys

## Hörmann: Quality without Compromise



Hörmann is the only manufacturer worldwide that offers you a complete range of all major building products from one source. We manufacture in highly-specialised factories using the latest production technologies. The close-meshed network of sales and service companies throughout Europe, and activities in the USA and Asia, make Hörmann your strong partner for first-class building products, offering "Quality without Compromise".

GARAGE DOORS
OPERATORS
INDUSTRIAL DOORS
LOADING EQUIPMENT
HINGED DOORS
DOOR FRAMES

